

AMENDMENTS TO THE DRAWINGS

Replacement Figures 3 and 6 are attached hereto. The Figures have been amended to introduce reference numeral 9 as necessitated by the attached amendments to the specification. No new matter is added.

Attachment: Two replacement sheets


REMARKS

The foregoing amendments and these remarks are in response to the *Ex Parte Quayle* Office Action dated July 16, 2007. This amendment is timely filed.

At the time of the Office Action, claims 1-3 were pending in the application. In the Office Action, the specification was objected to because reference numeral 6 was used to represent three different elements. Applicants have amended the specification and associated drawings in accordance with the Office Action by adding reference numeral 9 to refer to the pivoting point, and by keeping reference numeral 6 as referring to the slot. The reference numeral for the "imaginary centre" has been given as 9', which is believed clear as all of the imaginary centres for the slots 6 in the same vertical plane coincide to form the pivoting point 9. Accordingly, withdrawal of the objection is respectfully requested. If any issues remain outstanding, Applicant invites the Examiner to call the undersigned if it is believed that a telephonic interview would expedite the prosecution of the application to an allowance.

Respectfully submitted,

Date: 8-14-07


J. Rodman Steele, Jr.
Registration No. 25,931
Mark D. Passler
Registration No. 40,764
AKERMAN SENTERFITT
Post Office Box 3188
West Palm Beach, FL 33402-3188
Telephone: (561) 653-5000